

	Application No.	Applicant(s)
Notice of Allowability	10/779,292	OPRESCU, FLORIN A.
	Examiner	Art Unit
	Brian Young	2819
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate completers. This application is	in this application. If not included nunication will be mailed in due course. <b>THIS</b>
1. This communication is responsive to <u>2/12/04</u> .		
2. The allowed claim(s) is/are <u>1-37</u> .		
3. $\boxtimes$ The drawings filed on <u>12 February 2004</u> are accepted by the	ne Examiner.	
<ul> <li>4. Acknowledgment is made of a claim for foreign priority ur</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have</li> <li>2. Certified copies of the priority documents have</li> <li>3. Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	been received. been received in Applica	tion No
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		le a reply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached E es reason(s) why the oath	KAMINER'S AMENDMENT or NOTICE OF or declaration is deficient.
<ol> <li>CORRECTED DRAWINGS (as "replacement sheets") must (a)  including changes required by the Notice of Draftspers         <ol> <li>hereto or 2)  to Paper No./Mail Date</li> <li>including changes required by the attached Examiner's Paper No./Mail Date</li> </ol> </li> <li>Identifying indicia such as the application number (see 37 CFR 1) each sheet. Replacement sheet(s) should be labeled as such in the state of the sheet in the sheet</li></ol>	on's Patent Drawing Revi s Amendment / Comment .84(c)) should be written or	or in the Office action of the drawings in the front (not the back) of
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MA FOR THE DEPOSIT OF E	TERIAL must be submitted. Note the IOLOGICAL MATERIAL.
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of	Informal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🗌 Interview	Summary (PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		s Amendment/Comment
4. ☐ Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner	s Statement of Reasons for Allowance
of Biological Material	9. 🗌 Other	··

Application/Control Number: 10/779,292

Art Unit: 2819

- 1. Claims 1-37 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: an apparatus for improving the direct current (DC) offset of an oversampling analog-to-digital (A/D) converter, including A/D converters that include an oversampling quantizer such as a single or multi-bit L-E modulator, successive approximation quantizer, flash quantizer, pipelined quantizer or oversampling quantizer is disclosed. The circuit shows converting an analog input at an input terminal to a digital output at an output terminal, including an analog chopper circuit having an input coupled to the input terminal, providing an output at a first predetermined rate; a first terminal and a second terminal, wherein a customized buffer/amplifier placed across the first and second terminals such that the output of the analog chopper at a first predetermined rate is received at the first terminal and the output of the customized buffer/amplifier is received at the second terminal; a quantizer circuit having an input coupled to the second terminal, and providing an output at a second predetermined rate, has not been shown in the prior art.
- 3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Both of the following patents belong to applicant. 6,169,506 discloses an oversampling data converter with good rejection capability. The oversampling data converter includes three primary parts; a delta-sigma modulator for sampling and digitizing incoming analog signals, a high order digital filter for discarding unwanted

frequency components, and an internal clock generator for controlling the operation of the modulator and the filter. All three primary parts are provided in the same package and also on the same die. No frequency-setting external components are necessary.

6,411,242 discloses an oversampling analog-to-digital converter with improved DC offset performance. The invention provides methods and apparatus for improving the direct current (DC) offset performance of an oversampling analog-to-digital (A/D) converter

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian Young whose telephone number is 571-272-1816. The examiner can normally be reached on Mon-Fri 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mike Tokar can be reached on 571-272-1812. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> ouna mary Examiner Art Unit 2819